


TR160 V5 Simulator

Assembly Guide



IMPORTANT: Different regions may have different models. Please ensure the part number below matches that on your product's box.

TR1605



TRAK RACER

Published 2024-12-10

TABLE OF CONTENTS

3	Symbol Legend	
4	Part List	
6	Assembly Notes	
9	TR1605 Assembly Instructions	
14	Pedal Option 1	
19	Pedal Option 2	
25	Pedal Option 3	
29	Shifter Option	
35	Stabilizing Feet Option	
37	Adjustable Recliner Seat Assembly (TR-RSB4)	
41	Non-Adjustable Recliner Seat Assembly (TR-RSB-CH)	
44	GT/Rally Seat Assembly (SA09 / SA10)	
46	GT/Rally Seat Assembly (SA11 / SA12 / SA13)	
49	TRX Seat Assembly with Adjustable Brackets (TRX-SB)	
52	Wheel Mount Option 1	
56	Wheel Mount Option 2	
60	Wheel Mount Option 3	
64	Wheel Mount Option 4	



IMPORTANT: Since there are different versions of each product based on your region, please make sure you are using the correct set of instructions. The part number below should match the one on your box.



IMPORTANT: Due to the nature of cut aluminum profiles, some metal shavings may remain despite our thorough QA cleaning process. We recommend opening boxes and packaging on a hard surface.



NOTE: Some screws and washers may be pre-installed. These are included in the parts list and will need to be loosened and reattached according to the instructions.



Recommended: Two people for the task



Tighten the hardware



Keep the hardware loose for adjustments



Make the necessary adjustments



Break the tab off the corner bracket



Safety glasses required



Attention/Priority needed




Reserve for the next step




Mirrored components (same on both sides)

PART LISTS




Aluminum Profile

TR-8040-460 x2




Aluminum Profile

TR-80120-240 x2




Aluminum Profile

TR-80120-780 x2




Aluminum Profile

TR-80160-580 x2




Aluminum Profile

TR-80160-1400 x2




Aluminum Profile

TR-8080-350 x1




Aluminum Profile

TR-8080-580 x1




End Cap, 40x40

EC-40 x4




End Cap, 40x80

EC-80 x1



End Cap, 40x160

EC-160 x2



Corner Bracket, 40x40

CB-40 x11



Corner Bracket, 40x160

BC-160 x6




Rear Logo Plate

RLP x1




Front Logo Plate

FLP x1



Rubber Feet

FR-01 x6




Seat Slider

SS-01 x1




TRAK RACER Sticker

TRS x2




Wheel Mount Plate

WM-TR1-PP x2




Wheel Side Plate

WM-TR1-WP x2




Wheel Mount N

WM-TR1-FN x2




Cable Management Clip

CMC x6




Shifter Side Plate

BP-80-H x1



Shifter Plate 1


SM-01 x1



Shifter Plate 1


SM-02 x1

PART LISTS



Ball Bearing Nut, M6

NS-M6 **x4**




Ball Bearing Nut, M8

NS-M8 **x62**




Washer (Flat)

WF-M8-20 **x36**




Washer (Lock), M8

WL-M8 **x30**




Screw (Flat)

SF-M8-16 **x32**




Screw (Flat)

SF-M8-20 **x12**




Hex Screw

SH-M6-12 **x4**




Hex Screw

SH-M8-14 **x4**




Hex Screw

SH-M8-16 **x4**




Hex Screw

SH-M8-20 **x28**




Flange Nut, M8

NF-M8 **x2**



Red Profile Strip


PS-1400-R **x4**




Red Profile Strip

PS-460-R **x2**


INCLUDED TOOLS




NOTE



INSTALLATION ORDER FOR SCREWS & WASHERS









HOW TO MEASURE SCREWS



NOTE


BS-40



NOTE

NS-M8 & NS-M6




Slide T-Nuts into the ends of the profiles. Some must be added early, so follow the steps in this manual carefully.





If you miss one, tilt it in from the outer edge. Use the Allen key to push it into place, ensuring the hole lines up.

Use the provided Allen key to push the T-Nut into position, ensuring that the hole slides into place correctly.

1




2




3




A TR-80160-580




B SF-M8-16






C NS-M8





4





B RLP








5




6








7



If opting for stabilizing feet, go to page 35 for instructions. After installation, return to step 8.



8



9

A TR-8080-780




B BC-160



C SF-M8-16



D NS-M8



x2

10


A





B




C SF-M8-16




D NS-M8



Attach parts from
step 8 to step 9.




Pedal Option 1



NOTE: Hardware to attach pedals to plate not included.
Please use hardware included with your pedal set.


PART LISTS



Hex Screw

SH-M8-20


x8



Hex Screw

SH-M8-25


x4



Washer (Flat)

WF-M8-20


x4



Washer (Lock), M8

WL-M8


x4



Ball Bearing Nut, M8

NS-M8


x4



Feet Plate

PP-NP


x2



Handle Screw

SL-M8-25


x4



Screw (Flat)

SF-M8-20


x10



Flange Nut, M8

NF-M8


x3



Corner Bracket

PP-NP-LB

x2



Plate

PP-80-TP

x1

* **NOTE:** Extra hardware may be included as spare parts



TR80-PBPL




1

- | | | | |
|---|--|--|--|
| A SF-M8-20

M8x20mm
x8 | B NF-M8

x8 | C PP-NP-LB

x2 | D PP-NP

x2 |
|---|--|--|--|



x2


2

- | | | |
|--|--|--|
| A SF-M8-20

M8x20mm
x10 | B NF-M8

x10 | C PP-80-TP

x1 |
|--|--|--|




3

A SL-M8-25




B NS-M8




C WF-M8-20



D WL-M8





4a





NOTE: Rotate to use upper or lower mount, choose 4a or 4b, then proceed.

4b





5





6




NOTE: After installing the pedal, proceed to page 29 for the shifter options.


Pedal Option 2



NOTE: Hardware to attach
pedals to plate not included.
Please use hardware included
with your pedal set.




PART LISTS



Hex Screw

SH-M8-20


x8



Hex Screw

SH-M8-25


x4



Screw (Flat)

SF-M8-25


x8



Screw (Flat)

SF-M8-16


x8



Ball Bearing Nut, M8

NS-M8


x12



Ball bearing Nut, M6

NS-M6


x12



Washer (Flat)

WF-M8-20


x16



Washer (Lock), M8

WL-M8


x16



Heel Plate

PP-HR-AL


x1



Aluminum Profile

TR-8080-480


x1



Aluminum Profile

TR-8040-480

x2



Pedal Side Plate

PP-NP








x2

* NOTE: Extra hardware may be included as spare parts






TR80-PBAL






1



2





3





NOTE: Combine the components from step 1 and step 2 to secure the assembly.

4




5a




A SL-M8-25  M8x25mm x4	B NS-M8  M8 x4	C WF-M8-20  M8x20mm x4	D WL-M8  x4
---	---	---	--




NOTE: Rotate to use upper or lower mount, choose 5a or 5b, then proceed.

5b


A SL-M8-25  M8x25mm x4	B NS-M8  M8 x4	C WF-M8-20  M8x20mm x4	D WL-M8  x4
---	---	---	--





6



NOTE: Adjust position after pedal and seat installation.



7




NOTE: After installing the pedal, proceed to page 29 for the shifter options.


Pedal Option 3



NOTE: Hardware to attach pedals to plate not included. Please use hardware included with your pedal set.




PART LISTS



Hex Screw

SH-M6-16

x16



Handle Screw

SL-M8-25


x4



Washer (Flat)

WF-M8-20


x32



Washer (Lock), M8

WL-M8


x32



Ball Bearing Nut, M8

NS-M8


x4



Pedal Side Plate

PP-NP

x2



Flange Nut, M8

NF-M8


x22



Pedal Side Plate

PP-IN-BR


x2



Pedal Top Plate

PP-IN-FR


x1



Pedal Side Plate 2

PP-IN-SM


x2



Screw (Flat)

SF-M8-15


x4



Screw (Flat)

SF-M8-16


x14



Corner Bracket

PP-NP-LB


x2



Plate

PP-80-TP

x1



Hex Screw

SH-M8-25



x16

* NOTE: Extra hardware may be included as spare parts

TR80-HYPL




1



Take note of orientation of PP-IN-SM Brackets. They should slope towards front of the rig

2





NOTE: Push footrest as far back as Possible to make room for STEP3.



NOTE: Keep slightly loos and adjust Position after seat installation.

3





NOTE: Keep slightly loos and adjust Position after seat installation.







Take note of orientation of PP-IN-BR Brackets. They should slope towards Front of the ring.

4





NOTE: Keep slightly loos and adjust Position after seat installation.


5



NOTE: After installing the pedal, proceed to page 29 for the shifter options.








Shifter Option



PART LISTS

BOX #: TR80-SMEX4



 M8x20mm	 M8	 M8	 350mm
Hex Screw SH-M8-20 x22	Ball Bearing Nut, M8 NS-M8 x20	Flange Nut, M8 NF-M8 x2	Aluminum Profile TR-8080-350 x1
 580mm	 TRAK RACER		 TR
Aluminum Profile TR-8080-580 x1	Aluminum Profile Cap EC-80 x1	Corner Bracket CB-40 x5	Shifter Side Plate BP-80-H x1
 M8x20mm			
Washer (Flat) WF-M8-20 x22	Washer (Lock), M8 WL-M8 x22	Shifter Plate SM-01 x1	Shifter Plate 2 SM-02 x1

* **NOTE:** Extra hardware may be included as spare parts



TR80-SMEX4





1





2










3









4









5








6










7




8




9



Stabilizing Feet Option




PART LISTS



Hex Screw

SH-M8-25


x8



Ball Bearing Nut, M8

NS-M8


x8



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Flange Nut, M10

NF-M10


x4



Nut, M10

NL-M10


x8



Feet Plate

BF-01

x4



Feet Leg Adjustable

FA-01

x4




IMPORTANT: Different regions may have different models. Please ensure the part number below matches that on your product's box.

TR80-NEWFEET






1

A Step 7  x1	B SH-M8-25  M8x25mm x8	C BF-01  x4	D NS-M8  M8 x8	E WF-M8-20  M8x20mm x8	F WL-M8  x8
---	---	---	---	---	---




2


A  x1	B FA-01  x4	C NL-M8  x4	D NF-M8  x4
---	---	---	---



After step 7 on page 12, follow instructions for stabilizing feet instead of rubber legs, then proceed to step 8.



Adjustable Recliner Seat Bracket




TR-RSB4

TRAK RACER


1

A Screw





x4




Note: Screws supplied with seat




2





3




Note: Screws supplied with seat & SB-03



4




Note: Slide the slider all the way back to install screws and nuts. Then slide all the way forward and repeat for front screws and nuts.



Non-Adjustable Recline Seat Brackets

Assembly Guide




TR-RSB-CH



1

A SH-M8-16




B WF-M8-20



C SB-03




Note: Screws supplied with seat & SB-03




2




A SH-M8-16




B WF-M8-20



C NL-M8



GT/Rally Seat Assembly




SA-09 and SA-10



1


A SH-M8-16



B WF-M8-20




C WL-M8




2


A SH-M8-16



B WF-M8-20




C NL-M8



Slide the slider all the way back to install screws and nuts. Then slide all the way forward and repeat for front screws and nuts.




GT/Rally Seat Assembly





SA-11/SA-12/SA-13



1





2



3



4









TRX Seat Assembly With Adjustable Bracket




TRX-SB

1




2



3




A SH-M8-16



B WF-M8-20




C NL-M8




Wheel Mount Option 1

Fanatec Direct Drive Mount



PART LISTS

BOX #: TR80-NWMA




M8x25mm

Hex Screw

SH-M8-25

x12




M8X20mm

Screw (Flat)

SF-M8-20

x12




M8x20mm

Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8

x8




M8

Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1_FN


x2



Wheel Mount Plate

WM-TR1-PP

x2



Wheel Mount Plate 2

WM-TR1-WP

x2



Aluminum Profile

TR-80120-180





x2

* **NOTE:** Extra hardware may be included as spare parts





TR80-NWMA






1




2










3




Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.



4






Note: For Fanatec CSL DD
use WM-TR1-FN x 4


Wheel Mount Option 2

Universal Direct Drive Mount

PART LISTS




BOX #: TR80-NWMA



Hex Screw

SH-M8-25


x12



Screw (Flat)

SF-M8-20


x12



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1_FN


x2



Wheel Mount Plate

WM-TR1-PP

x2



Wheel Mount Plate 2

WM-TR1-WP

x2




Aluminum Profile

TR-80120-180

x2


BOX #: TR80-NWMDD



Hex Screw

SH-M8-20


x4



Hex Screw

SH-M8-25

x12



Washer (Flat)

WF-M6-16


x2



Washer (Flat)

WF-M8-20


x4



Hex Screw

SH-M6-20

x2



Wheel Mount Drive Plate






WM-DD

x1






* **NOTE:** Extra hardware may be included as spare parts

TR80-NWMA + TR80-NWMDD




1




2










3







Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.




4



5




NOTE: After installing the pedal, proceed to page 43 for the shifter options.




Wheel Mount Option 3

Universal Wheel Deck



PART LISTS

BOX #: TR80-NWMA




M8x25mm

Hex Screw

SH-M8-25

x12




M8X20mm

Screw (Flat)

SF-M8-20

x12




M8x20mm

Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8

x8




M8

Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1_FN


x2



Wheel Mount Plate

WM-TR1-PP

x2



Wheel Mount Plate 2

WM-TR1-WP

x2



Aluminum Profile


TR-80120-180

x2

BOX #: TR80-NWM4

* **NOTE:** Extra hardware may be included as spare parts

** **NOTE:** Depending on your region, you may receive WM-WM4 or WM-WM5




M6x15mm

Hex Screw

SH-M6-15

x4




M8x25mm

Hex Screw

SH-M8-25

x4




M6x16mm

Washer (Flat)

WF-M6-16

x4



Wheel Mount Deck Plate





WM-WM4/5

x1





TR80-NWMA + TR80-NWMDD






1




2










3






Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.



4




5




NOTE: After installing the pedal, proceed to page 43 for the shifter options.

OPTION 1



OPTION 2





WM-WM4/5 can be installed upside-down for added kneed clearance and lower positioning of wheel base

Wheel Mount Option 4

Universal Direct Drive Mount

PART LISTS


BOX #: TR80-NWMA



Hex Screw

SH-M8-25

x12



Screw (Flat)

SF-M8-20


x12



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Ball Bearing Nut, M8

NS-M8

x8



Wheel Mount Side

WM-TR1_FN


x2



Wheel Mount Plate

WM-TR1-PP

x2



Wheel Mount Plate 2

WM-TR1-WP

x2




Aluminum Profile

TR-80120-180

x2


BOX #: TR80-DDASET



Screw (Hex Round)

SR-M8-30


x4



Screw (Hex Round)

SR-M8-30


x4



Hex Screw

SH-M6-20

x4



Wheel Mount Drive Plate





WM-DD

x1





* **NOTE:** Extra hardware may be included as spare parts

TR80-NWMA + TR80-DDASET




1




2









3



Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.







4




NOTE: Adjust position after wheelbase and seat installation



5



NOTE: After installing the pedal, proceed to page 43 for the shifter options.



FINISHED



Share your build online and tag us to be featured!



@trakracer



@trakracer



@trak_racer